




# VFUL60

## Wire cable tray



Screen: 50 x 100 mm  
 Cross-wire: Ø 3.50 mm  
 Lengthwise wire: Ø 4.50 mm

| Reference           | Finish | ↑<br>mm | ↔<br>mm | →  ←<br>mm | ↔<br>mm | kg/m  | 📦  | Unit |
|---------------------|--------|---------|---------|------------|---------|-------|----|------|
| <b>VFUL60.050</b>   | SZ     | 60      | 50      |            | 3000    | 0,570 | 30 | M    |
| <b>VFUL60.100</b>   | SZ     | 60      | 96      |            | 3000    | 0,830 | 30 | M    |
| <b>VFUL60.150</b>   | SZ     | 60      | 146     |            | 3000    | 0,870 | 30 | M    |
| <b>VFUL60.200</b>   | SZ     | 60      | 197     |            | 3000    | 1,030 | 30 | M    |
| <b>VFUL60.300</b>   | SZ     | 60      | 297     |            | 3000    | 1,330 | 30 | M    |
| <b>ZAVFUL60.050</b> | DF     | 60      | 50      |            | 3000    | 0,570 | 30 | M    |
| <b>ZAVFUL60.100</b> | DF     | 60      | 100     |            | 3000    | 0,830 | 30 | M    |
| <b>ZAVFUL60.150</b> | DF     | 60      | 146     |            | 3000    | 0,870 | 30 | M    |
| <b>ZAVFUL60.200</b> | DF     | 60      | 197     |            | 3000    | 1,030 | 30 | M    |
| <b>ZAVFUL60.300</b> | DF     | 60      | 297     |            | 3000    | 1,330 | 30 | M    |

### LOAD DIAGRAM


This diagram illustrates the permissible uniformly distributed loads applied to multiple supports. They comply with IEC 61537 with connection to 1/5 of the span and the end span = 0,8x the span. When the joint is situated in the centre of the span, a reduction of 0,7x the admissible load is to be taken into account.

F = max. admissible load (daN/m)  
 L = support distance (m)  
 Max. deflection (m) = L/100


### Fix with:



Support joiner for VFU(L) VFKS



Snap-on joiner for VFU(L) KPVF



Joining clamp VFK

### NEW

Our VFUL60 wire cable tray is now available in zinc aluminium (ZA). This coating offers a corrosion protection at least as long as the standard hot dip galvanizing process. Zinc aluminum (ZA) is identified with a small plate.

Usable inside height: outside height - 7mm  
 Usable inside width: outside width - 15mm

### Legend finish

- SZ = Sendzimir
- DF = Defender