



1	1	44004	[KG110.200.150]	Cable tray not perforated
2	1	44170	[SLOS110]	Partition
item	qty	drawing	reference	description

Parts list



G-G (1 : 3)



Ref.	X	Y
KG110.100.150S12	50	50
KG110.150.150S12	75	75
KG110.200.150S12	100	100
KG110.250.150S12	125	125
KG110.300.150S12	150	150
KG110.400.150S12	200	200
KG110.500.150S12	250	250
KG110.600.150S12	300	300
KG110.100.150S13	33	67
KG110.150.150S13	50	100
KG110.200.150S13	66	134
KG110.250.150S13	83	167
KG110.300.150S13	100	200
KG110.400.150S13	133	267
KG110.500.150S13	167	333
KG110.600.150S13	200	400


NOT FOR PRODUCTION

Ref.	SIN---	Name	Build-in partition	
Drawn	delombel		[KG110.200.150S12]	
Date	8/04/2011			
Material:	Tolerance:	Standard:	I.S.O. SYMBOL	
1.0226 (DX51 Pregalva.)	ISO 2768-1 C	-		


1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
		Scale:	Adapt drawing exclusively with CAD	
		1 : 3	KBAAN	
DRAWING NUMBER			FORM	P. 7
45703			A4	12 P.
Meersbloem Melden 16 9700 Oudenaarde		Tel: 055/31.83.35 Fax: 055/31.43.88		

1	1	44004	[KG110.200.150]	Cable tray not perforated
2	2	44170	[SLOS110]	Partition
item	qty	drawing	reference	description

Parts list



H-H (1 : 2)



Ref.	X
KG110.100.150S23	33
KG110.150.150S23	50
KG110.200.150S23	66
KG110.250.150S23	83
KG110.300.150S23	100
KG110.400.150S23	133
KG110.500.150S23	167
KG110.600.150S23	200

NOT FOR PRODUCTION


Ref.	SIN---	Name	Build-in partition [KG110.200.150S23]	
Drawn	delombel			
Date	8/04/2011			
Material:	Tolerance:	Standard:	I.S.O. SYMBOL	
1.0226 (DX51 Pregalva.)	-	-		




1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
VERGOKAN		Scale:	1 : 2	Adapt drawing exclusively with CAD
Meersbloem Melden 16 9700 Oudenaarde		Tel: 055/31.83.35 Fax: 055/31.43.88	DRAWING NUMBER 45703	FORM A4
				P. 8 12 P.

1	1	45628	[KGI60.400.100]	Cable tray not perforated, interlocking
2	1	45699	[1SLOSI60]	Partition for KBSI and KGI
item	qty	drawing	reference	description

Parts list



J-J (1 : 2)



Ref.	X	Y
KGI60.100.---S12	50	50
KGI60.150.---S12	75	75
KGI60.200.---S12	100	100
KGI60.250.---S12	125	125
KGI60.300.---S12	150	150
KGI60.400.---S12	200	200
KGI60.500.---S12	250	250
KGI60.600.---S12	300	300
KGI60.100.---S13	33	67
KGI60.150.---S13	50	100
KGI60.200.---S13	66	134
KGI60.250.---S13	83	167
KGI60.300.---S13	100	200
KGI60.400.---S13	133	267
KGI60.500.---S13	167	333
KGI60.600.---S13	200	400

NOT FOR PRODUCTION


Ref.	SIN---	Name
Drawn	delombel	Build-in partition
Date	8/04/2011	[KGI60.200.100S12]
Material:	Tolerance:	Standard:
1.0226 (DX51 Pregalva.)	-	-
I.S.O. SYMBOL		

1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
		Scale:	Adapt drawing exclusively with CAD	
		1 : 2	KBAAN	
Meersbloem Melden 16 9700 Oudenaarde			Tel: 055/31.83.35 Fax: 055/31.43.88	
DRAWING NUMBER 45703			FORM A4	P. 9 12 P.


1	1	45628	[KGI60.400.100]	Cable tray not perforated, interlocking
2	2	45699	[1SLOSI60]	Partition for KBSI and KGI
item	qty	drawing	reference	description

Parts list

Ref.	X
KGI60.100.---S23	33
KGI60.150.---S23	50
KGI60.200.---S23	66
KGI60.250.---S23	83
KGI60.300.---S23	100
KGI60.400.---S23	133
KGI60.500.---S23	167
KGI60.600.---S23	200



K-K (1 : 2)



NOT FOR PRODUCTION


Ref.	SIN---	Name	Build-in partition
Drawn	delombel		[KGI60.200.100S23]
Date	8/04/2011		
Material:	Tolerance:	Standard:	I.S.O. SYMBOL
1.0226 (DX51 Pregalva.)	-	-	

1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
		VERGOKAN	Scale:	Adapt drawing exclusively with CAD
		Meersbloem Melden 16 9700 Oudenaarde	1 : 2	KBAAN
		Tel: 055/31.83.35 Fax: 055/31.43.88	DRAWING NUMBER 45703	FORM A4
				P. 10 12 P.

1	1	44170	[1SLOS60]	Partition
2	1	45111	[TFCL60.200.200]	Industrial floor trunking
item	qty	drawing	reference	description

Parts list

Ref.	X	Y
TFCL---.100.200S12	50	50
TFCL---.150.200S12	75	75
TFCL---.200.200S12	100	100
TFCL---.250.200S12	125	125
TFCL---.300.200S12	150	150
TFCL---.100.200S13	33	67
TFCL---.150.200S13	50	100
TFCL---.200.200S13	66	134
TFCL---.250.200S13	83	167
TFCL---.300.200S13	100	200




Pos. 1: SLOS heigth according trunk (1SLOS60; 1SLOS85 or 1SLOS110)
Pos. 2: Trunk according choice of the customer (TFCL60, TFCL85 or TFCL110).
Dimension B = width of the trunk

Ref.	SIN---	Name
Drawn	delombel	Build-in partition
Date	8/04/2011	[TFCL60.200.200S12]
Material:	Tolerance:	Standard:
1.0226 (DX51 Pregalva.)	-	-
I.S.O. SYMBOL		



L-L (1 : 2)




NOT FOR PRODUCTION

1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
VERGOKAN Meersbloem Melden 16 9700 Oudenaarde Tel: 055/31.83.35 Fax: 055/31.43.88				
Scale:		Adapt drawing exclusively with CAD		
1 : 2		KBAAN		
DRAWING NUMBER			FORM	P. 11
45703			A4	12 P.


1	2	44170	[1SLOS60]	Partition
2	1	45111	[TFCL60.200.200]	Industrial floor trunking
item	qty	drawing	reference	description

Parts list

Ref.	X
TFCL---.100.200S23	33
TFCL---.150.200S23	50
TFCL---.200.200S23	66
TFCL---.250.200S23	83
TFCL---.300.200S23	100



M-M (1 : 2)



NOT FOR PRODUCTION

Pos. 1: SLOS height according trunk (1SLOS60; 1SLOS85 or 1SLOS110)
 Pos. 2: Trunk according choice of the customer (TFCL60, TFCL85 or TFCL110).
 Dimension B = width of the trunk

Ref.	SIN---	Name	Build-in partition
Drawn	delombel		[TFCL60.200.200S23]
Date	8/04/2011		
Material:	Tolerance:	Standard:	I.S.O. SYMBOL
1.0226 (DX51 Pregalva.)	-	-	

1	A	Aanpassing aan werking SAP (WF SIN60 - 26 11 2014)	25/11/2014	notepa
Number	Edition	Description of the modification	Date	By
VERGOKAN		Scale:	Adapt drawing exclusively with CAD	
		1 : 2	KBAAN	
Meersbloem Melden 16 9700 Oudenaarde			Tel: 055/31.83.35 Fax: 055/31.43.88	DRAWING NUMBER 45703
				FORM A4
				P. 12 12 P.